

53 Rodney Street, Liverpool L1 9ER, United Kingdom +44-151-528 3096 info@imci-uk.org imci-uk.org

Rue Abbé Cuypers 3, B-1040 Brussels, Belgium +32-2-741 6836 info@imci.org imci.org

IMCI (UK) and International Marine Certification Institute (UK) are registered trademarks of the "International Marine Certification Society" registered in the UK under company number 12718057

ISO 6185-2:2001 (EN ISO 6185-2:2018) Inflatables & Ribs en250115

CERTIFICATION APPLICATION	FOR IMCI USE ONLY		
Recreational Craft - Inflatable boat - Part 2	Certificate No.:		
Ref.: EN ISO 6185-2:2018			
Manufacturer:			
Address:			
ZIP Code:			
City:			
Country:			
VAT #:			
Signatory, Name:			
Signatory, Title:			
Phone:			
Email:			
WWW:			
Model Year on Watercraft Identification Number (WIN):			
Model Name:			
Other model names (with identical technical data):			
Head of Engineering:			
his application is valid for:			
Directive 2013/53/EU (RCD II) related to CE marking for EU.		[Yes, No]	
Recreational Craft Regulation (RCR) related to UKCA marking for United King	adom		
		[Yes, No]	
D. materials and a	_		
Requirements	(ISO)/{Directive} reference	Clause	Please
Requirements	_		Please complete as
Requirements	(ISO)/{Directive} reference		Please
1 Boat category (Type <u>V</u> and <u>VI</u>)	(ISO)/{Directive} reference if not ISO 6185-1		Please complete as
1 Boat category (Type <u>V</u> and <u>VI)</u> 2 Design category (<u>C</u> or <u>D</u>)	(ISO)/{Directive} reference	Clause	Please complete as appropriate
1 Boat category (Type <u>V</u> and <u>VI)</u> 2 Design category (<u>C</u> or <u>D</u>) 3 Module	(ISO)/{Directive} reference if not ISO 6185-1	Clause	Please complete as
1 Boat category (Type <u>V</u> and <u>VI</u>) 2 Design category (<u>C</u> or <u>D</u>) 3 Module 4 Boat type (inflatable boat <u>INF</u> or rigid inflatable boat <u>RIB</u>)	(ISO)/{Directive} reference if not ISO 6185-1 {Annex A. 1}	Clause	Please complete as appropriate
1 Boat category (Type <u>V</u> and <u>VI</u>) 2 Design category (<u>C</u> or <u>D</u>) 3 Module 4 Boat type (inflatable boat <u>INF</u> or rigid inflatable boat <u>RIB</u>) 5 Length of the hull (LH < = 8) [m]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex A. 1}	Clause	Please complete as appropriate
1 Boat category (Type <u>V</u> and <u>VI</u>) 2 Design category (<u>C</u> or <u>D</u>) 3 Module 4 Boat type (inflatable boat <u>INF</u> or rigid inflatable boat <u>RIB</u>) 5 Length of the hull (LH < = 8) [m] 6 Waterline length (LWL) [m]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex A. 1} (8666) (8666)	Clause	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex A. 1} (8666) (8666) (8666)	Clause	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH < = 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex A. 1} (8666) (8666)	[1] [3.1, 3.2]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex A. 1} (8666) (8666) (8666)	Clause	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax <= 15) [kW]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax <= 15) [kW] 11 Maximum permissible number of persons (n) 12 Maximum load capacity (m) [kg]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2] [6.4] [6.2]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax <= 15) [kW] 11 Maximum permissible number of persons (n) 12 Maximum load capacity (m) [kg] 13 Residual buoyancy (mr >= 0,5 * m) [kg]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2] [6.4] [6.2] [6.1] [6.4] [6.8]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax <= 15) [kW] 11 Maximum permissible number of persons (n)	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2] [6.4] [6.2] [6.1] [6.4]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax <= 15) [kW] 11 Maximum permissible number of persons (n) 12 Maximum load capacity (m) [kg] 13 Residual buoyancy (mr >= 0,5 * m) [kg]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2] [6.4] [6.2] [6.1] [6.4] [6.8]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax <= 15) [kW] 11 Maximum permissible number of persons (n) 12 Maximum load capacity (m) [kg] 13 Residual buoyancy (mr >= 0,5 * m) [kg] 14 Design working pressure(-s) [bar] meets the following requirements:	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2] [6.4] [6.2] [6.1] [6.4] [6.8]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH < = 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax < = 15) [kW] 11 Maximum permissible number of persons (n) 12 Maximum load capacity (m) [kg] 13 Residual buoyancy (mr >= 0,5 * m) [kg] 14 Design working pressure(-s) [bar] meets the following requirements:	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2] [6.4] [6.2] [6.1] [6.4] [6.8] [6.5]	Please complete as appropriate
1 Boat category (Type V and VI) 2 Design category (C or D) 3 Module 4 Boat type (inflatable boat INF or rigid inflatable boat RIB) 5 Length of the hull (LH <= 8) [m] 6 Waterline length (LWL) [m] 7 Beam of the hull (BH) [m] 8 Maximum declared speed of craft (v) [knots] 9 Total mass (M) [kg] 10 Maximum rated engine power (4,5 < Pmax <= 15) [kW] 11 Maximum permissible number of persons (n) 12 Maximum load capacity (m) [kg] 13 Residual buoyancy (mr >= 0,5 * m) [kg] 14 Design working pressure(-s) [bar]	(ISO)/{Directive} reference if not ISO 6185-1 {Annex I A. 1} (8666) (8666) (8666) (12215-5)	[1] [3.1, 3.2] [6.4] [6.2] [6.4] [6.8] [6.5]	Please complete as appropriate A1

06185-2 Inflatables RIBs 1 of 3



ISO 6185-2:2001 (EN ISO 6185-2:2018) Inflatables & Ribs en250115 Boat Manufacturer: Boat Model Name: CIN Model Year: Note: If boat does not use certified components, the boat manufacturer must enclose a filled in component certification application form! This boat model uses the following components or options [Annex II] Manufacturer's model(s) Component type DoC Sterndrive engines with integral exhaust or Sterndrive engines without integral exhaust Windows, portlights, hatches, deadlights and As the manufacturer or his authorised representative, I declare under sole responsibility that the above product(s) to which this declaration relates is in conformity with the referenced requirements. This application has not been lodged with any other notified body / conformity assessment body. Signature of Manufacturer or his authorised Representative: Date (yyyy-mm-dd) For IMCI / IMCI (UK) office use only Application review Application accepted for IMCI: [Yes, No] Application accepted for IMCI(UK): [Yes, No] Clear name, signature date (yyyy-mm-dd) Comments to application or reason(s) if refused: For IMCI / IMCI (UK) Inspector use (if applicable) I declare under our sole responsibility that I have not been active for the manufacturer in design, construction, marketing or other activities. The content of this form has been checked. Place of inspection: (yyyy-mm-dd) ____ Date of inspection report: Inspection done by Inspector: Stamp, Clear Name, Signature: Comments on Inspection by Inspector:

06185-2 Inflatables RIBs 2 of 3



ISO 6185-2:2001 (EN ISO 6185-2:2018) Inflatables & Ribs en250115			
Boat Manufacturer:			
Boat Model Name:			
WIN Model Year:			
This page is only for IMCI / IMCI (UK) office use			
Inspection details if done at IMCI / IMCI (UK) office			
Inspection report date:	(yyyy-mm-dd)		
	(333) ==/		
Inspection done by: Clear Name, Signature:			
- · · · · · · · · · · · · · · · · · · ·			
Comments on Inspection report by Office:			
Review			
Review by Office: Clear Name, Signature and Date:	(yyyy-mm-dd)		
Comments on Review by Office:			

The certification decision is made by signing and dating the corresponding IMCI certificate

06185-2 Inflatables RIBs page 3 of 3